OWNERSHIP AND DEDICATION:

KNOW ALL MEN BY THESE PRESENTS, THAT THE UNDERSIGNED I & J PARTNERSHIP, LP BEING THE OWNER OF CERTAIN LAND SHOWN IN THIS FINAL PLAT AND DESCRIBED AS FOLLOWS:

THAT PORTION OF THE SOUTHWEST QUARTER OF SECTION 12, TOWNSHIP 2 NORTH, RANGE 68 WEST OF THE 6TH P.M., WELD COUNTY, COLORADO, DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHWEST CORNER OF SAID SECTION 12 AND CONSIDERING THE SOUTH LINE OF THE SOUTHWEST QUARTER OF SAID SECTION 12 TO BEAR SOUTH 89°31'25"

THENCE NORTH 67'38'43" EAST, A DISTANCE OF 1303.30 FEET TO THE POINT OF BEGINNING; THENCE NORTH 00'28'35" EAST, A DISTANCE OF 25.07 FEET; THENCE ALONG THE ARC OF A CURVE TO THE RIGHT HAVING A RADIUS OF 213.00 FEE AND A CENTRAL ANGLE OF 14'43'30", AN ARC DISTANCE OF 54.74 FEET (CHORD BEARS

NORTH 07'50'20" EAST, 54.59 FEET);
THENCE NORTH 15'12'05" EAST, A DISTANCE OF 58.39 FEET;
THENCE ALONG THE ARC OF A CURVE TO THE RIGHT HAVING A RADIUS OF 20.00 FEET AND A CENTRAL ANGLE OF 84'13'26", AN ARC DISTANCE OF 29.40 FEET (CHORD BEARS NORTH

57'18'48" EAST, 26.82 FEET);
THENCE NORTH 09"25'31" EAST, A DISTANCE OF 54.00 FEET;
THENCE ALONG THE ARC OF A NON TANGENT CURVE TO THE LEFT HAVING A RADIUS OF

393.00 FEET AND A CENTRAL ANGLE OF 61'59'52", AN ARC DISTANCE OF 425.25 FEET (CHORD BEARS NORTH 68'25'35" EAST, 404.81 FEET); THENCE NORTH 37°25'39" EAST, A DISTANCE OF 299.69 FEE THENCE NORTH 54°08'02" WEST, A DISTANCE OF 149.93 FEET THENCE NORTH 37'09'28" EAST, A DISTANCE OF 205.39 FEET THENCE NORTH 46'57'17" EAST, A DISTANCE OF 121.94 FEET;

THENCE NORTH 49'40'55" EAST, A DISTANCE OF 141.59 FEET THENCE NORTH 56°25'46" EAST, A DISTANCE OF 65.00 FEET; THENCE NORTH 60°10'57" EAST, A DISTANCE OF 139.73 FEET;

THENCE ALONG THE ARC OF A NON TANGENT CURVE TO THE RIGHT HAVING A RADIUS OF 373.00 FEET AND A CENTRAL ANGLE OF 01.30'42", AN ARC DISTANCE OF 9.84 FEET

(CHORD BEARS SOUTH 19'20'30" EAST, 9.84 FEET); THENCE NORTH 71'24'51" EAST, A DISTANCE OF 102.80 FEET; THENCE NORTH 85°30'59" EAST, A DISTANCE OF 78.12 FEET; THENCE NORTH 08°11'24" WEST, A DISTANCE OF 131.34 FEET THENCE NORTH 17°20'40" WEST, A DISTANCE OF 68.10 FEET

THENCE NORTH 37'05'43" EAST, A DISTANCE OF 81.48 FEET, THENCE NORTH 27'59'05" EAST, A DISTANCE OF 82.46 FEET THENCE NORTH 11'04'44" EAST, A DISTANCE OF 53.68 FEET THENCE NORTH 11'00'06" WEST, A DISTANCE OF 77.68 FEET THENCE NORTH 24"17"57" WEST, A DISTANCE OF 54.00 FEET THENCE NORTH 65'42'03" EAST, A DISTANCE OF 53.69 FEET;

THENCE ALONG THE ARC OF A CURVE TO THE LEFT HAVING A RADIUS OF 20.00 FEET AND A CENTRAL ANGLE OF 95'21'41", AN ARC DISTANCE OF 33.29 FEET (CHORD BEARS NORTH 18'01'13" EAST, 29.58 FEET); THENCE ALONG THE ARC OF A CURVE TO THE LEFT HAVING A RADIUS OF 523.00 FEET AND A CENTRAL ANGLE OF 09'56'52", AN ARC DISTANCE OF 90.80 FEET (CHORD BEARS NORTH

34°38'04" WEST, 90.69 FEET); THENCE NORTH 50°23'30" EAST, A DISTANCE OF 204.82 FEE

THENCE NORTH 10'32'07" WEST, A DISTANCE OF 142.43 FEET; THENCE NORTH 11'10'57" EAST, A DISTANCE OF 108.23 FEET; THENCE SOUTH 89'58'03" EAST ALONG THE NORTH LINE OF SAID SOUTHWEST QUARTER OF SECTION 12. A DISTANCE OF 146.51 FEET;

THENCE SOUTH 00'00'54" WEST ALONG THE EAST LINE OF SAID SOUTHWEST QUARTER, A DISTANCE OF 1356.45 FEET; THENCE NORTH 89'59'06" WEST, A DISTANCE OF 179.00 FEET; THENCE NORTH 00'00'54" EAST, A DISTANCE OF 67.49 FEET

THENCE NORTH 89'59'08" WEST, A DISTANCE OF 140.01 FEET THENCE SOUTH 69'33'17" WEST, A DISTANCE OF 48.16 FEET; THENCE SOUTH 64"17'20" WEST, A DISTANCE OF 126.49 FEET THENCE SOUTH 56'51'16" WEST, A DISTANCE OF 44.27 FEET; THENCE SOUTH 37'25'39" WEST, A DISTANCE OF 140.00 FEET; THENCE NORTH 52'34'21" WEST, A DISTANCE OF 11.72 FEET; THENCE SOUTH 37'25'39" WEST, A DISTANCE OF 617.84 FEET; THENCE SOUTH 372539 WEST, A DISTANCE OF 617.64 FEET;
THENCE NORTH 46'35'15" WEST, A DISTANCE OF 38.04 FEET;
THENCE SOUTH 43'24'45" WEST, A DISTANCE OF 110.00 FEET;
THENCE SOUTH 43'24'45" WEST, A DISTANCE OF 55.95 FEET;
THENCE SOUTH 55'54'17" WEST, A DISTANCE OF 69.31 FEET;

THENCE SOUTH 76"23"49" WEST, A DISTANCE OF 72.29 FEET THENCE SOUTH 84°58'33" WEST, A DISTANCE OF 66.81 FEET THENCE NORTH 89'31'25" WEST, A DISTANCE OF 205.00 FEET TO THE POINT OF BEGINNING

CONTAINING 731,863 SQUARE FEET OR 16,801 ACRES, MORE OR LESS.

HAS LAID OUT, SUBDIVIDED AND PLATTED SAID LAND AS PER THE DRAWING HEREIN CONTAINED UNDER THE NAME AND STYLE OF THE NEIGHBORS POINT FILING NO. 2, A SUBDIVISION OF A PART OF THE TOWN OF FIRESTONE, COUNTY OF WELD, STATE OF COLORADO, AND BY THESE PRESENTS DO HEREBY DEDICATE TO THE TOWN OF FIRESTONE THE STREETS, AVENUES AND TRACT Q AS SHOWN ON THE ACCOMPANYING PLAT FOR THE PUBLIC USE THEREOF FOREVER AND DOES FURTHER DEDICATE TO THE USE OF THE TOWN OF FIRESTONE AND ALL SERVING PUBLIC UTILITIES (AND OTHER APPROPRIATE ENTITIES)
THOSE PORTIONS OF SAID REAL PROPERTY WHICH ARE SO DESIGNATED AS EASEMENTS AS

IT IS EXPRESSLY UNDERSTOOD AND AGREES BY THE UNDERSIGNED THAT ALL EXPENSES AND COST INVOLVED IN CONSTRUCTING AND INSTALLING SANITARY EXPENSES AND COST INVOLVED IN CONSTRUCTING AND INSTALLING SANITARY SEWER SYSTEM WORKS AND LINES, WATER SYSTEM WORKS AND LINES, GAS SERVICE LINES, ELECTRICAL SERVICE WORKS AND LINES, LANDSCAPING, CURBS, GUTTERS, STREET PAVEMENT, SIDEWALKS, AND OTHER SUCH UTILITIES AND SERVICES SHALL BE GUARANTEED AND PAID FOR BY THE SUBDIVIDER OR ARRANGEMENTS MADE BY THE SUBDIVIDER THEREOF WHICH ARE APPROVED BY THE TOWN OF FIRESTONE, COLORADO, AND SUCH SUMS SHALL NOT BE PAID BY THE TOWN OF FIRESTONE, AND THAT ANY ITEM SO CONSTRUCTED OR INSTALLED WHEN ACCEPTED BY THE TOWN OF FIRESTONE SHALL BECOME THE SOLE PROPERTY OF SAID TOWN OF FIRESTONE, COLORADO, EXCEPT PRIVATE ROADWAY, CURBS, GUTTER, AND PAVEMENT AND ITEMS OWNED MUNICIPALITY FRANCHISED UTILITIES, OTHER SERVING PUBLIC ENTITIES AND OR OWEST INC. WHICH WHEN CONSTRUCTED OR INSTALLED ENTITIES AND/OR QWEST, INC., WHICH WHEN CONSTRUCTED OR INSTALLED SHALL REMAIN AND/OR BECOME THE PROPERTY OF SUCH MULTIPLICITY FRANCHISED UTILITIES, OTHER SERVING PUBLIC ENTITIES, AND/OR QWEST, INC., AND SHALL NOT BECOME THE PROPERTY OF THE TOWN OF FIRESTONE,

M. VIL

NOTARY


OWNER: DARTMOOR NEIGHBORS POINT, LLC A COLORADO LIMITED LIABILITY COMPANY

EVERETT L. PFEIFF, AUTHORIZED AGENT PURSUANT TO STATEMENT OF AUTHORITY DATED NOVEMBER 1, 2005 AND RECORDED IN THE REAL ESTATE RECORDS OF WELD COUNTY, COLORADO

STATE OF COLORADO

COUNTY OF BOULDER THE FORGOING CERTIFICATE OF OWNERSHIP WAS ACKNOWLEDGED BEFORE ME THIS 3FD DAY OF MAY A.D. ZOOLO BY COOPIEL M. VILL SEPEAL

WITNESS MY HAND AND OFFICIAL SEAL






FINAL PLAT

NEIGHBORS POINT FILING NO. 2

A PART OF THE SOUTHWEST 1/4 OF SECTION 12, TOWNSHIP 2 NORTH, RANGE 68 WEST OF THE 6TH P.M., TOWN OF FIRESTONE, COUNTY OF WELD, STATE OF COLORADO SHEET 1 OF 4



VICINITY MAP

1"=1200'

LENDER'S CONSENT: THE UNDERSIGNED MORTGAGEE, FIRST NATIONAL BANK, FOR GOOD AND VALUABLE CONSIDERATION, DOES BY THESE PRESENTS, HEREBY SUBORDINATE ALL OF ITS RIGHTS TO SUCH FEE SIMPLE DEDICATIONS AND GRANTS OF EASEMENTS TO THE TOWN OF FIRESTONE AS ARE DEPICTED AND REFERENCED HEREON AND TO THE TERMS AND CONDITIONS OF THIS FINAL PLAT AND AGREES THAT THIS FINAL PLAT SHALL CONSTITUTE A FIRST AND PRIOR LIEN UPON NEIGHBOR'S POINT FILING NO. 2 TO THE SAME EXTENT AS THOUGH IT WERE ACTUALLY EXECUTED AND RECORDED PRIOR TO THE DEED OF TRUST ENCUMBERING THE PROPERTY FOR THE BENEFIT OF SAID MORTGAGEE.

LENDER: FIRST NATIONAL BANK TOSEPH LAVIN VICE PRESIDENT STATE OF COLORADO

COUNTY OF LARTMER THE FORGOING CERTIFICATE OF OWNERSHIP WAS ACKNOWLEDGED BEFORE ME THIS DAY OF May A.D. 2006 BY Nancy P-Luczak

NOTARY PUBLIC MY COMMISSION EXPIRES: 3-27-2009

WITNESS MY HAND AND OFFICIAL SEAL

SURVEYOR'S CERTIFICATE:

I, JOHN W. CHRISTY, A REGISTERED PROFESSIONAL LAND SURVEYOR IN THE STATE OF COLORADO. DO HEREBY CERTIFY THAT THE FINAL PLAT SHOWN HEREON IS A CORRECT DELINEATION OF THE ABOVE DESCRIBED PARCEL OF LAND.

I FURTHER CERTIFY THAT THIS FINAL PLAT AND LEGAL DESCRIPTION WERE PREPARED UNDER MY PERSONAL SUPERVISION AND IN ACCORD WITH APPLICABLE STATE OF COLORADO REQUIREMENTS ON THIS 200 DAY OF MAY , A.D. 2006

> JOHN W. CHRISTY **B**LS# 17477



1) BASIS OF BEARINGS: THE SOUTH LINE OF THE SW 1/4 OF SECTION 12, TOWNSHIP 2 NORTH, RANGE 68 WEST OF THE 6TH PRINCIPAL MERIDIAN BEING ASSUMED TO BEAR SOUTH 89°31'25" EAST. AND IS MONUMENTED AS DEPICTED

2) LAND TITLE GUARANTEE COMPANY. COMMITMENT NO. FC25029106-3 DATED APRIL 26, 2006 WAS RELIED UPON FOR RECORD INFORMATION REGARDING RIGHTS-OF-WAY, EASEMENTS AND ENCUMBRANCES. THIS SURVEY DOES NOT REPRESENT A TITLE SEARCH TO DETERMINE OWNERSHIP, EASEMENT OR OTHER MATTERS OF PUBLIC RECORD BY FORESIGHT WEST SURVEYING, INC.

3) REFER TO TRACT TABLE BELOW, FOR TRACT OWNERSHIP AND MAINTENANCE DESCRIPTIONS

4) REFER TO SHEET 4 FOR LINE AND CURVE TABLES.

5) THIS PROJECT IS NOT LOCATED WITHIN ANY FEMA REGULATED FLOODPLAIN. REFERENCE FEMA FIRM # 080266 0861C PANEL 861 of 1075, SEPTEMBER 28, 1982.

6) WELD COUNTY IS ONE OF THE MOST PRODUCTIVE AGRICULTURAL COUNTIES IN THE UNITED STATES. THE RURAL AREAS OF WELD COUNTY MAY BE OPEN AND SPACIOUS, BUT THEY ARE INTENSIVELY USED FOR AGRICULTURE. PERSONS MOVING INTO A RURAL AREA MUST RECOGNIZE THERE ARE DRAWBACKS, INCLUDING CONFLICTS WITH LONG STANDING AGRICULTURAL PRACTICES AND A LOWER LEVEL OF SERVICES THAN IN TOWN. AGRICULTURAL USERS OF THE LAND SHOULD NOT BE EXPECTED TO CHANGE LONG ESTABLISHED AGRICULTURAL PRACTICES TO ACCOMMODATE THE INTRUSIONS OF URBAN USERS INTO RURAL AREA. WELL RUN AGRICULTURAL ACTIVITIES WILL GENERATE OFF SITE IMPACTS, INCLUDING NOISE FROM TRACTORS, AND EQUIPMENT; DUST FROM ANIMAL PENS, FIELD WORK, HARVEST, AND GRAVEL ROADS; ODOR FROM ANIMAL CONFINEMENT, SILAGE, AND MANURE; SMOKE FROM DITCH BURNING; FLIES AND MOSQUITOES; USE OF PESTICIDES AND FERTILIZERS IN THE FIELDS, INCLUDING THE USE OF AERIAL SPRAYING. DITCHES AND RESERVOIRS CANNOT SIMPLY BE MOVED OUT OF THE WAY OF RESIDENTIAL DEVELOPMENT WITHOUT THREATENING THE EFFICIENCY DELIVERY OF IRRIGATION TO FIELDS WHICH IS ESSENTIAL TO FARM PRODUCTION.

7) BENCHMARK: ELEVATIONS ARE BASED UPON THE TOWN OF FIRESTONE BENCHMARK BM 22 WITH A PROJECT ELEVATION OF 4846.30 FEET NGVD 29. THIS POINT IS A CHISELED "X" MARKED ON THE SOUTH SIDE OF MANHOLE RIM CONCRETE LOCATED ON THE NORTH SIDE OF FIRESTONE BLVD NEAR N 1/4 CORNER SECTION 12 (THE TOWN OF FIRESTONE PUBLISHED ELEVATION IS 4846.095 FEET). THE PROJECT ELEVATION IS BASED UPON NGS BENCHMARK "P 329" & THE TOWN OF FIRESTONE BENCHMARK IS BASED UPON USGS BM "JR 46".

8) ALLOWED USES IN UTILITY EASEMENTS INCLUDE THE INSTALLATION & MAINTENANCE OF ELECTRIC, PHONE, FIBER OPTIC. CABLE TV. WATER. SEWER, GAS. POSTAL FACILITIES, HIGH VOLTAGE TRANSMISSION, DRAINAGE AND STORM DRAINS. SERVICE PROVIDERS FOR THE LINES WITHIN THESE EASEMENTS WILL INCLUDE, BUT ARE NOT LIMITED TO, QWEST FOR TELEPHONE, COMCAST FOR CABLE, UNITED POWER FOR ELECTRIC, AND KINDER MORGAN FOR GAS.

9) THE UTILITY & DRAINAGE EASEMENTS SHOWN HEREIN ARE DEDICATED TO THE TOWN OF FIRESTONE FOR THE INSTALLATION, MAINTENANCE, AND CONVEYANCE OF UTILITIES AND STORM DRAINAGE FACILITIES.

				MAINTENANCE	
TRACT	ACRES	LAND USE	OWNER	RESPONSIBILITY	
Q	1.53	PUBLIC LAND DEDICATION	TOWN	TOWN	

LEGEND

FOUND MONUMENT, AS NOTED

● FOUND #5 REBAR WITH PLASTIC CAP PLS# 17477

SET #5 REBAR WITH PLASTIC CAP PLS# 17477

ALIQUOT CORNER, AS NOTED ON PLAN

ABBREVIATIONS

U.D. ESMT - UTILITY & DRAINAGE EASEMENT

SAN. SEW. ESMT - SANITARY SEWER EASEMENT

UTIL ESMT - UTILITY EASEMENT

TOWN APPROVAL:

THIS IS TO CERTIFY THAT THE PLAT OF NEIGHBORS POINT FILING NO. 2 WAS APPROVED ON THIS 10 DAY OF JUNE, 2004, AND THAT THE MAYOR OF THE TOWN OF FIRESTONE ON BEHALF OF THE TOWN OF FIRESTONE, HEREBY ACKNOWLEDGES SAID PLAT UPON WHICH THIS CERTIFICATE IS ENDORSED FOR ALL PURPOSES INDICATED THEREON.

Name of Submittal: Neighbors Point

Type of Submittal: Cover Sheet

Filing Number: 2

Phase Number

OWNER/DEVELOPER:

COVER SHEET

FINAL PLAT

FINAL PLAT

FINAL PLAT

SHEET INDEX:

DARTMOOR NEIGHBORS POINT, LLC 6530 DAYLILLY CT. NIWOT, CO 80503

(303) 749-8863 (303) 652-4147 fax

CONTACT: EVERETT PFEIFF

ENGINEER:

PEAK CIVIL CONSULTANTS, INC. 2828 SPEER BLVD. SUITE 201

DENVER, CO 80211 720) 855-3859

(720) 855-3860 fax

CONTACT: BOB KELSEY

FORESIGHT WEST SURVEYING, INC. 12424 EAST WEAVER PLACE SUITE 100

ENGLEWOOD, CO 80111

(303) 504-4440 (303) 759-0400 fax

CONTACT: JOHN CHRISTY

PEAK CIVIL CONSULTANTS CIVIL ENGINEERING & LAND



CONTACT: BOB KELSEY

FORESIGHT WEST

Boundary Control Construction Oil and Mineral Global Positioning

Sheet Title: Final Plat Preparation Date: August 15, 2003 Revision Date: January 15, 2004 | Revision Date: January 7, 2005 Revision Date: May 18, 2004 Revision Date: August 12, 2005 Revision Date: July 16, 2004 Revision Date: April 27, 2006 Sheet 1 OF 4


FIRESTONE INFORMATION BLOCK




FINAL PLAT


NEIGHBORS POINT FILING NO. 2

A PART OF THE SOUTHWEST 1/4 OF SECTION 12, TOWNSHIP 2 NORTH, RANGE 68 WEST OF THE 6TH P.M., TOWN OF FIRESTONE, COUNTY OF WELD, STATE OF COLORADO SHEET 2 OF 4





KEY MAP NTS



LEGEND

- FOUND MONUMENT, AS NOTED
- FOUND #5 REBAR WITH PLASTIC CAP PLS# 17477
- ▲ SET #5 REBAR WITH PLASTIC CAP PLS# 17477
- ALIQUOT CORNER, AS NOTED ON PLAN

ABBREVIATIONS

U.D. ESMT - UTILITY & DRAINAGE EASEMENT SAN. SEW. ESMT - SANITARY SEWER EASEMENT UTIL ESMT - UTILITY EASEMENT

FIRESTONE INFORMATION BLOCK

Type of Submittal: Final Plat

Name of Submittal: Neighbors Point

Filing Number: 2


Phase Number:

Sheet Title: Final Plat

Preparation Date: August 15, 2003 Revision Date: January 15, 2004 | Revision Date: January 7, 2005

Sheet 2 OF 4

Revision Date: May 18, 2004 Revision Date: July 15, 2005 Revision Date: July 16, 2004





FINAL PLAT

NEIGHBORS POINT FILING NO.2

A PART OF THE SOUTHWEST 1/4 OF SECTION 12, TOWNSHIP 2 NORTH, RANGE 68 WEST OF THE 6TH P.M., TOWN OF FIRESTONE, COUNTY OF WELD, STATE OF COLORADO

SHEET 3 OF 4





UNPLATTED



- FOUND MONUMENT, AS NOTED
- FOUND #5 REBAR WITH PLASTIC CAP PLS# 17477

(IN FEET) 1 inch = 50 ft.

- ▲ SET #5 REBAR WITH PLASTIC CAP PLS# 17477
- ALIQUOT CORNER, AS NOTED ON PLAN

ABBREVIATIONS

U.D. ESMT - UTILITY & DRAINAGE EASEMENT

SAN. SEW. ESMT - SANITARY SEWER EASEMENT

UTIL ESMT - UTILITY EASEMENT

FIRESTONE INFORMATION BLOCK

FIRESTONE INFORMATION BLOCK

Name of Submittal: Neighbors Point

Type of Submittal: Final Plat

Filing Number: 2

Phase Number:

Short Title: Final Plat

Sheet Title: Final Plat

Preparation Date: August 15, 2003

Revision Date: January 15, 2004 Revision Date: January 7, 2005

Revision Date: May 18, 2004 Revision Date: August 12, 2005

Revision Date: May 18, 2004 Revision Date: August 12, 2005
Revision Date: July 16, 2004 Revision Date:
Sheet 3 OF 4



1. PLATIENAL-55 dwo Plat 3, 87/2/2005 3:11:44 PA


FINAL PLAT


NEIGHBORS POINT FILING NO. 2

A PART OF THE SOUTHWEST 1/4 OF SECTION 12, TOWNSHIP 2 NORTH, RANGE 68 WEST OF THE 6TH P.M., TOWN OF FIRESTONE, COUNTY OF WELD, STATE OF COLORADO

	LINE TABLE	
LINE	LENGTH	BEARING
L1	12.64'	S37*25*39*W
L2	10.34'	N37'09'28"E
L3	121.53'	N12'31'55"W
L4	93.48'	N2276'48"W
L5	55.24'	N10'28'31"W
L6	56.85	N1110'57"E
L7	57.81'	N1170'57"E
L8	55.24'	N10'28'31"W

		CURVE T	ABLE		
CURVE	DELTA	LENGTH	RADIUS	CHB	CHL
C1	8413'26"	29.40'	20.00'	N88'41'58"W	26.82
C2	85'01'26"	29.68	20.00'	S04'04'32"E	27.0
C3	90'00'00"	31.42	20.00'	S82'25'39"W	28.2
C4	90'00'00"	31.42'	20.00'	S07'34'21"E	28.2
C5	210'24"	15.66'	413.00	S88'55'42"W	15.60
C6	90'00'00"	31.42'	20.00'	N44'59'06"W	28.2
C7	95'21'41"	33,29'	20.00	N66'37'06"W	29.5
C8	90,00,00,	31.42'	20.00'	N45'00'54"E	28.2
C9	84'27'43"	29.48'	20.00'	S59'42'37"E	26.8
C10	84'27'43"	29.48'	20,00'	N24'45'06"E	26.8
C11	1°06'23"	7.72	400.00	N18'01'57"W	7.72
C12	90'00'00"	31.42'	20.00'	S82"25'39"W	28.2
C13	90'00'00"	31.42'	20.00'	S07'34'21"E	28.2
C14	0*23'00"	3.86'	577.00'	S0010'36"E	3.86
C15	1*06'23"	7.20'	373.00'	N18'01'57"W	7,20
C16	1'06'23"	8.25'	427.00'	N18'01'57"W	8.25
C17	0'28'48"	47.20'	5633.43	S12°58'35"E	47.20
C18	9'44'53"	159.08'	935.00'	N17'24'22"W	158.8
C19	11'48'18"	95.81'	465.00'	S16°22'39"E	95.64
C20	21'39'27"	100.17	265.00'	S00'21'13"W	99.5
C21	2°29'26"	24.56'	565.00	N09'56'14"E	24.56
C22	21'39'27"	51.03	135.00'	S00°21'13"W	50.73





KEY MAP NTS

LEGEND

- FOUND MONUMENT, AS NOTED
- FOUND #5 REBAR WITH PLASTIC CAP PLS# 17477
- ▲ SET #5 REBAR WITH PLASTIC CAP PLS# 17477
- ALIQUOT CORNER, AS NOTED ON PLAN

ABBREVIATIONS

U.D. ESMT - UTILITY & DRAINAGE EASEMENT SAN. SEW. ESMNT - SANITARY SEWER EASEMENT

UTIL ESMT - UTILITY EASEMENT

FIRESTONE INFORMATION	BLC
Name of Submittal: Neighbors Point	
Type of Submittal: Final Plat	······································
	

Filing Number: 2 Phase Number: Sheet Title: Final Plat Preparation Date: August 15, 2003

Revision Date: January 15, 2004 Revision Date: January 7, 2005 Revision Date: August 12, 2005

Revision Date: May 18, 2004 Revision Date: July 16, 2004 Sheet 4 OF 4



PEAK CIVIL CONSULTANTS
CIVIL ENGINEERING & LAND
DEVELOPMENT SERVICES 2828 SPEER BLVD., SUITE 201 DENVER, COLORADO 80211 720.855.3859 720.855.3860 FAX CONTACT: BOB KELSEY

